



SPEED
45 km/h



AUTONOMY
87 km



BATTERY
2



MAX. LOAD
40 REAR



POWER
2,7 kW



VEHICLE CATEGORY
L1



TRACTION

Max. speed	45 km/h
Power	2,7 kW
Motor	ASKOLL on powertrain
Transmission	Pulley / Poly-V-belt
Regeneration	Two modes
Max. Torque	158 Nm

DIMENSIONS

Wheelbase	1245 mm
Seat height	760 mm
Weight	71 kg
Max. Weight	260 kg
Max. rear load	40 kg
Frame	Steel tubular

BATTERY

Autonomy*	87 km
No. of batteries	2
Capacity	2 x 1.4 kWh
Volatage - Amperage	54 V - 26,1 Ah
Charging time	6 h
Type	Lithium-ion
Weight	2 x 7,6 kg

GENERAL INFORMATIONS

Vehicle category	L1
Licence	AM - A1 - A2 - A - B
Display	Digital
Front light	LED
Rear light	LED
Direction indicator lighting	LED
Connectivity module	Telemetry module
Stand	Central and side
Reverse gear	Available
Cruise control	Available
Walk assist	Available

CYCLE PARTS

Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Front brake	Hydraulic disk 190 mm
Back brake	Hydraulic disk 190 mm
CBS system	n/d
Front tyre	90 / 80 - 16" - all season
Back tyre	110 / 70 - 16" - all season

COLOURS



WHITE



BLACK

*According to EC 168/201



SPEED
45 km/h



AUTONOMY
87 km



BATTERY
2



MAX. LOAD
20 FRONT
40 REAR



POWER
2,7 kW



VEHICLE CATEGORY
L1

TRACTION

Max. speed	45 km/h
Power	2,7 kW
Motor	ASKOLL on powertrain
Transmission	Pulley / Poly-V-belt
Regeneration	Two modes
Max. Torque	158 Nm

BATTERY

Autonomy*	87 km
No. of batteries	2
Capacity	2 x 1.7 kWh
Volatage - Amperage	54 V - 31,5 Ah
Charging time	7,5 h
Type	Lithium-ion
Weight	2 x 7,6 kg

CYCLE PARTS

Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Front brake	Hydraulic disk 190 mm
Back brake	Hydraulic disk 190 mm
CBS system	n/d
Front tyre	90 / 80 - 16" - all season
Back tyre	110 / 70 - 16" - all season

DIMENSIONS

Wheelbase	1245 mm
Seat height	760 mm
Weight	76 kg
Max. Weight	260 kg
Max. rear load	40 kg
Max. front load	20 kg
Frame	Steel tubular

GENERAL INFORMATIONS

Vehicle category	L1
Display	Digital
Front light	LED
Rear light	LED
Direction indicator lighting	LED
Hazard	Available
Connectivity module	Telemetry module
Stand	Central and side
Reverse gear	Available
Cruise control	Available
Walk assist	Available

COLOURS



WHITE

*According to EC 168/201



SPEED
45 km/h



AUTONOMY
87 km



BATTERY
2



MAX. LOAD
20 FRONT
40 REAR



POWER
2,7 kW



VEHICLE CATEGORY
L1

TRACTION

Max. speed	45 km/h
Power	2,7 kW
Motor	ASKOLL on powertrain
Transmission	Pulley / Poly-V-belt
Regeneration	Two modes
Max. Torque	158 Nm

DIMENSIONS

Wheelbase	1245 mm
Seat height	760 mm
Weight	76 kg
Max. Weight	260 kg
Max. rear load	40 kg
Max. front load	20 kg
Frame	Steel tubular

BATTERY

Autonomy*	87 km
No. of batteries	2
Capacity	2 x 1.7 kWh
Volateg - Amperage	54 V - 31,5 Ah
Charging time	7,5 h
Type	Lithium-ion
Weight	2 x 7,6 kg

GENERAL INFORMATIONS

Vehicle category	L1
Display	Digital
Front light	LED
Rear light	LED
Direction indicator lighting	LED
Hazard	Available
Connectivity module	Telemetry module
Stand	Central and side
Reverse gear	Available
Cruise control	Available
Walk assist	Available

CYCLE PARTS

Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Front brake	Hydraulic disk 190 mm
Back brake	Hydraulic disk 190 mm
CBS system	n/d
Front tyre	90 / 80 - 16" - all season
Back tyre	110 / 70 - 16" - all season

*According to EC 168/201

COLOURS



WHITE

High loading capacity for your business



SPEED
66 km/h



AUTONOMY
93 km



BATTERY
2



MAX. LOAD
40 REAR



POWER
2,7 kW



VEHICLE CATEGORY
L3



TRACTION

Max. speed	66 km/h
Power	2,7 kW
Motor	ASKOLL on powertrain
Transmission	Pulley / Poly-V-belt
Regeneration	Two modes
Max. Torque	130 Nm

DIMENSIONS

Wheelbase	1245 mm
Seat height	760 mm
Weight	71 kg
Max. Weight	260 kg
Max. rear load	40 kg
Frame	Steel tubular

BATTERY

Autonomy*	93 km
No. of batteries	2
Capacity	2 x 1.4 kWh
Volateg - Amperage	54 V - 26,1 Ah
Charging time	6 h
Type	Lithium-ion
Weight	2 x 7,6 kg

GENERAL INFORMATIONS

Vehicle category	L3
Licence	A1 - A2 - A - B
Display	Digital
Front light	LED
Rear light	LED
Direction indicator lighting	LED
Connectivity module	Telemetry module
Stand	Central and side
Reverse gear	Available

CYCLE PARTS

Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Front brake	Hydraulic disk 220 mm
Back brake	Hydraulic disk 190 mm
CBS system	Available
Front tyre	90 / 80 - 16" - all season
Back tyre	110 / 70 - 16" - all season

COLOURS



WHITE



BLACK

*According to EC 168/201



SPEED

66 km/h



93 km



BATTERY

2



MAX. LOAD

20 FRONT

40 REAR



POWER

2,7 kW



VEHICLE CATEGORY

L3

TRACTION

Max. speed	66 km/h
Power	2,7 kW
Motor	ASKOLL on powertrain
Transmission	Pulley / Poly-V-belt
Regeneration	Two modes
Max. Torque	130 Nm

DIMENSIONS

Wheelbase	1245 mm
Seat height	760 mm
Weight	76 kg
Max. Weight	260 kg
Max. rear load	40 kg
Max. front load	20 kg
Frame	Steel tubular

BATTERY

Autonomy*	93 km
No. of batteries	2
Capacity	2 x 1.4 kWh
Volateg - Amperage	54 V - 26,1 Ah
Charging time	6 h
Type	Lithium-ion
Weight	2 x 7,6 kg

GENERAL INFORMATIONS

Vehicle category	L3
Display	Digital
Front light	LED
Rear light	LED
Direction indicator lighting	LED
Hazard	Available
Connectivity module	Telemetry module
Stand	Central and side
Reverse gear	Available

CYCLE PARTS

Front suspension	Hydraulic telescopic fork
Back suspension	Mono shock absorber
Front brake	Hydraulic disk 220 mm
Back brake	Hydraulic disk 190 mm
CBS system	Available
Front tyre	90 / 80 - 16" - all season
Back tyre	110 / 70 - 16" - all season

COLOURS



WHITE

*According to EC 168/201